

HOUGHTON LAKE BUILDING AGENCY

1250 S. Harrison Road, P.O. Box 8
Houghton Lake, Michigan 48629
Phone 989-422-3687
Fax 989-422-7241

hlbuildingagency@gmail.com
www.houghtonlakebuildingagency.com

Information for Mechanical Applications

To better enforce mechanical codes the following must be completed before an approval will be given:

- R105.1 ALL PERMITS MUST BE SECURED BEFORE STARTING WORK.
- R106.1 CONSTRUCTION DOCUMENTS MUST BE PROVIDED.
- M1502.4.5 PROVIDE DOCUMENTATION WHEN THE EXHUAST DUCT FOR A
DRYER IS CONCEALED, THE DUCT LENGTH MUST BE LABELED
AND POSTED WITHIN 6 FOOT OF THE DRYER.

FAILURE TO PROVIDE THE ABOVE DOCUMENTATION WILL RESULT IN A FAILED FINALED INSPECTION AND A REINSPECTION FEE WILL BE CHARGED.

THE FOLLOWING SYSTEM MUST BE TESTED WHILE THE INSPCTOR IS PRESENT PRIOR TO FINAL APPROVAL. THE PERMIT HOLDER OR THE CONTRACTOR'S EMPLOYEE MUST BE PRESENT AT THE TIME OF THE TEST TO BE APPROVED.

- G2417.1 ALL GAS PIPING SYSTEMS MUST BE TESTED. THE PRESSURE TEST MUST BE AT LEAST ONE- AND ONE HALF- TIMES THE WORKING PRESSURE.

PURSUANT TO MI 601.4, JOINTS OF DUCT SYSTEMS MUST BE SEALED AND FAILURE TO SEAL THE DUCT PROPERLY WILL RESULT IN A FAILED ROUGH INSPECTION AND A REINPSECTION FEE WILL BE CHARGED.

PURSUANT TO G2415.9, METALLIC GAS PIPING MUST BE PROTECTED FROM CORROSION AND FAILURE TO PAINT OR PROTECT THE EXTERIOR GAS PIPING WILL RESULT IN A FAILED FINAL INSPECTION AND A REINSPECTION FEE WILL BE CHARGED.

It is the permit holder's responsibility to contact the Houghton Lake Building Agency to schedule an inspection. Please do this in a timely manner. Failure to call for an inspection may result in added fees and a complaint being filed with the State of Michigan Enforcement Division.

Paul Kile
Mechanical Inspector
Houghton Lake Building Agency