

# HOUGHTON LAKE BUILDING AGENCY

1250 S. Harrison Road, P.O. Box 8  
Houghton Lake, Michigan 48629  
Phone 989-422-3687  
Fax 989-422-7241

hlbuildingagency@gmail.com  
www.houghtonlakebuildingagency.com

## Information for Plumbing Application

To better enforce plumbing codes the following must be completed before an approval with be given:

R105.1 ALL PERMITS MUST BE SECURED BEFORE STARTING WORK.

R106.1 CONSTRUCTION DOCUMENTS MUST BE PROVIDED.

PROVIDE DOCUMENTATION THAT ALL BATHTUBS AND WHIRLPOOL TUB VALVES MEET ASSE 1070 OR CONFORMS TO SEC. P2708.3 SHOWER VALVES MUST MEET ASSE 1016 OR CSA B125.

HAND HELD SHOWERS MUST MEET ASME A112.18.1 OR CSA B125.1.

**FAILURE TO PROVIDE THE ABOVE DOCUMENTATION WILL RESULT IN A FAILED INSPECTION AND A REINSPECTION FEE WILL BE CHARGED.**

**THE FOLLOWING SYSTEMS MUST BE TESTED WHILE THE INSPECTOR IS PRESENT PRIOR TO FINAL APPROVAL. YOU MAY TEST THESE SYSTEMS TOGETHER OR SEPARATELY. THE PERMIT HOLDER OR A LICENSED EMPLOYEE MUST BE PRESENT AT THE TEST TO BE APPROVED.**

P2503.4 BUILDING SEWER TESTING.  
P2503.5.1 PLUMBING D.W.V. TESTING.  
P2506.6 SHOWER LINER TEST.

**Pursuant to P2603.2.1 PROTECTION AGAINST PHYSICAL DAMAGE, LARGE PROTECTOR PLATES ARE REQUIRED AT THE TOP AND BOTTOM PLATES.**

It is the permit holder's responsibility to contact the Houghton Lake Building Agency to schedule an inspection. Please do this in a timely manner. Failure to call for an inspection may result in added fees and a complaint being filed with the State of Michigan Enforcement division.

Paul Kile  
Plumbing Inspector  
Houghton Lake Building Agency